



David Lloyd Leisure - Generic Risk Assessment

Name of Outlet..... Date..... Signature.....

WHAT IS BEING ASSESSED: Tennis Courts

Where is the hazard likely to be encountered	Who is at risk?	What is the risk?	What is the risk rating?	What precautions are required?
Using tennis courts	Members	Slips, trips, falls caused by damaged surfaces, poor weather, inappropriate footwear/loss of balance	Medium	Wearing appropriate footwear enforced.
Member/staff in vicinity of tennis courts	Employees	Being hit by stray tennis balls	Medium	Court usage stopped in poor weather conditions. Net mechanisms regularly maintained and operated by competent people.
Adjusting tennis nets	Visitors	Injury from net adjustment mechanism	Low	Court surfaces and surrounds including nets and fencing structures regularly inspected for damage or defects.
	Guests	Injury from defects on court or surrounding area	Low	Nets placed as appropriate to contain stray balls.

What is the overall risk when precautions are followed

*HIGH *MEDIUM *LOW

*underline as appropriate

RISK RATING SCALE

L = Possible occurrence, but rarely reported cause of injury or accident

M = Occasional occurrence, not unknown as a reported cause of injury or Accident

H = High occurrence, most frequently reported as cause of injury or Accident

WHEN SHOULD THE RISK ASSESSMENT BE REVIEWED?

- Ongoing using the safety check process
- If an accident or injury occurs and investigation establishes precautions were followed but inadequate
- Following refurbishment or substantial alteration to premises

REVIEWED/AMENDMENT DATES

Signed.....Date.....Signed.....Date.....Signed.....Date.....

